




Can't find an off-the-shelf driver to connect your devices?

The gold standard for nonstandard device connectivity.

The OmniServer utilizes an advanced configurable protocol creation tool to deliver any serial or ethernet data over to any OPC UA, OPC DA, SuiteLink, or DDE client.

Instead of spending your time on specialized device drivers, implement your protocol in OmniServer and conveniently manage nuances of device communications and data delivery.

Less time spent on device communications means more resources for other important tasks leading to project success.



OMNISERVER CONNECTS NEARLY EVERYTHING

- Barcode scanners
- Micrometers
- Marquees
- Scales

- Controllers
- Lab equipment
- Recorders
- Sensors

- Analyzers
- Printers
- Custom applications
- And more

SERIAL CONNECTIVITY


- RS-232 / 422 / 485
- USB (via Virtual COM Port)

ETHERNET

- TCP/IP
- UDP
- TELNET
- Ethernet-encapsulation

ADVANCED PLUG-INS


- Automatic Email/SMS
- Text/CSV Files
- ODBC Data Logging
- Keyboard Wedge



Say goodbye to custom-coded OPC servers

OmniServer's Visual Protocol Editor (VPE) makes writing code a thing of the past. Realize up to 40 percent time savings with the dragand-drop feature to build protocol messages, table-based configuration, and other components.

- Efficient drag-and-drop to create protocol messages
- Hide uneccessary components and filter views for a cleaner protocol creation and editing experience
- Eliminate repetitive protocol segments with user-definable "Favorites"
- Convenient table-based configuration with CSV import/export for common components (items, topic variables, register numbers, plus)
- Easily locate protocol components and messages with filtered searching



Features

OMNISERVER ...

- Is configured via drag-and-drop and dialog boxes
- Connects to a wide variety of devices
- Has reusable protocol configurations across systems
- Allows a combined total of 2048 topics, devices, protocols and clients for connectivity to hundreds of devices
- Supports ASCII and binary data streams
- Includes step-by-step tutorials and world-class support
- Includes sample protocol templates

- Supports solicited and unsolicited messaging
- Is modem compatible
- Supports serial protocols (RS-232 / 422 / 485), including USB-mapped devices
- Connects ethernet protocols (TCP, UDP, TELNET), including serial devices via encapsulation
- Provides diagnostics to view raw data to/from your device
- Logs sends and receives
- Provides polling statistics
- Is OPC Independent Test Lab Certified for compliance

LICENSING, DEMOS AND CONSULTING

- Licenses include first year support/maintenance; renewable annually
- No tag limits; affordable software license key
- Optional Starter Kit includes two hours of consulting
- Protocol consulting services available to ensure success
- Optional hardware license dongle
- Three editions (see below)
- Volume discounts
- Fully-functional trial version

SYSTEM REQUIREMENTS 3

- 2.0 Ghz processor
- 1 GB RAM
- 150 MB HD space
- Ethernet card

32-Bit (x86) OS

- Windows Server 2008 / 2007
 Families (plus R2 editions)
- Windows 10 / 8.1 / 8 / 7 (Ultimate and Professional)

64-Bit (x64) OS

- Windows Server 2019 / 2016 / 2012 / 2008 / 2007 Families (plus R2 editions)
- Windows 10 / 8.1 / 8 / 7 (Ultimate and Professional)

OMNISERVER CAPABILITIES	OmniWedge P/N 41242111-N	OmniServer P/N 41242109-N	OmniServer Pro P/N 41242110-N
Fully configurable protocol engine with samples and industry standard client interfaces for connecting to all major HMI/ SCADA/MES systems	X	X	X
Rapid protocol creation via drag-and-drop in the Visual Protocol Editor (VPE) reduces protocol design effort by up to 40 percent	X	Х	Х
Database Advanced Plug-in logs data to any ODBC-compliant database (SQL, Access, MySQL, etc.)			X
File Advanced Plug-in logs data to text/CSV files			Х
Email Advanced Plug-in sends data as custom email			X
OmniServer data sent to other applications as "simulated" keyboard input	X		X

Data integration

Connecting the unconnected

Every plant has the issue of devices lacking necessary drivers which would tie them into information systems or machine user interfaces.

OmniServer solves the problem. A configurable OPC server, OmniServer is an off-the-shelf, easy-to-use, point-and-click configuration interface for implementing custom protocols. With no custom code, OmniServer can be configured to talk to virtually any non-standard device.



OPC Foundation Independent Test Lab Certified for compliance





OmniServer passes OPC Foundation's rigorous independent lab certification process insuring reliable interoperability with other OPC products.

Ready to get started?



OmniServer is available from your local AVEVA solutions distributor.

CLIENT INTERFACES

- OPC Unified Architecture (DA Profile)
- OPC Data Access (1.0a / 2.0 / 2.05)
- SuiteLink
- DDE and FastDDE

CLIENT INTEROPERABILITY

- AVEVA InTouch HMI, formerly Wonderware
- AVEVA InTouch Edge HMI, formerly Wonderware
- AVEVA System Platform, formerly Wonderware
- AVEVA Historian, formerly Wonderware
- AVEVA MES, formerly Wonderware
- Indusoft Web Studio
- OSIsoft PI System
- Schneider Electric EcoStruxure





OmniServer is one of a variety of products offered by Software Toolbox



